

# BASIC BM 375 / WM 375

CENTRAL INLET FOR SIMULTANEOUS SUCTION OF DUST, SOLIDS AND LIQUIDS

MANUAL FILTER CLEANING DEVICE

STORAGE CONTAINER

TANGENTIAL INLET FOR BETTER DUST SEPARATION FROM THE FILTER

NR 3 BY-PASS COLLECTOR MOTORS



POLYESTER POCKET FILTER AVAILABLE:

- L - M - M ANTISTATIC CLASS
- 20.000 cm<sup>2</sup> - 30.000 cm<sup>2</sup> SURFACES



SECONDARY HEPA FILTER (OPTIONAL)



CYCLONE (OPTIONAL)



TANK QUICK RELEASE FOR FAST DISPOSAL



KIT FOR INSTALLATION OF DISPOSABLE COLLECTION BAGS (OPTIONAL)



## BM 375


TANGENTIAL INLET FOR BETTER DUST SEPARATION FROM THE FILTER

**BASIC** BM 375 is the most classic and common single-phase industrial vacuum cleaner.

3 by-pass motors and conventional filtration in pockets or star filter. Ideal for several applications not specific in the industrial field and in cases where there are no problems regarding large amounts of dust, especially the grainy one.



### WORK EFFICIENCY BM 375



USEFUL RATING FOR THE COMPARISON WITH OTHER MODELS FROM OUR RANGE

TYPE OF APPLICATION: DUST

DEGREE OF SPECIFICITY: 5/5

### TECHNICAL DATAS

BASIC	BM 375
MOTORIZATION	nr 3 By-pass
POWER	3300 W
VOLTAGE	230 V
FREQUENCY	50 Hz
AIR FLOW	510 m <sup>3</sup> /h
MAX DEPRESSION	230 mBar
CAPACITY	75 L
DIMENSIONS	80x60 h 152 cm
WEIGHT	80 Kg

VOLTAGES AVAILABLE: 120 V - 60 HZ • 110 V - 50 HZ • 220 V - 60 HZ

## WM 375


CENTRAL INLET FOR SIMULTANEOUS SUCTION OF DUST, SOLIDS AND LIQUIDS

**BASIC** WM 375 is even more versatile compared to BM models because thanks to the entry of a central type with baffle allows a simultaneous aspiration of dust, solid and liquid.

Its use can affect any non-specific products or services.



### WORK EFFICIENCY WM 375



USEFUL RATING FOR THE COMPARISON WITH OTHER MODELS FROM OUR RANGE

TYPE OF APPLICATION: DUST AND LIQUIDS

DEGREE OF SPECIFICITY: 5/5

### TECHNICAL DATAS

BASIC	WM 375
MOTORIZATION	nr 3 By-pass
POWER	3300 W
VOLTAGE	230 V
FREQUENCY	50 Hz
AIR FLOW	510 m <sup>3</sup> /h
MAX DEPRESSION	230 mBar
CAPACITY	75 L
DIMENSIONS	80x60 h 152 cm
WEIGHT	80 Kg

VOLTAGES AVAILABLE: 120 V - 60 HZ • 110 V - 50 HZ • 220 V - 60 HZ